

Progressive Hardware Co., Inc.

Progressive Hardware **CATALOG**

visit our website: www.progressive-hardware.com

Manufacturers of quality locksmith supplies

63 Brightside Ave. East Northport, New York 11731
631-757-8866 Fax: 631-757-8870

Terms & Conditions

TERMS: Net 30

Freight: Prices are F.O.B. East Northport, New York. Freight allowed on single shipments over \$1500.00 net invoice value, to any one destination East of the Mississippi.

Returned Goods: Goods may not be returned without prior authorization from the factory and may be subject to a re-stocking charge.

Minimum charge: \$100.00, net invoice value

FINISH

US3	Polished Brass, Clear Coated
US4	Satin Brass, Clear Coated
US10	Satin Bronze, Clear Coated
US26	Polished Chrome, Plated
US26D	Satin Chrome, Plated
US32	Satin Stainless Steel
BP	Brass Plated
CP	Chrome Plated
DU	Dark Brown
SL	Silver

Product Index

<u>Description</u>	<u>Page</u>
Bracket, mounting Adams Rite	21
Closet turn	30
Cylindrical locksets	8
Door chain	9, 18, 27
Door closer	8
Door interviewer	18
Door knobs	10, 11, 12, 29
Door stops & holders	17
Drop bolt lock	21
Dummy cylinder	22
Escutcheons	13, 14, 15, 16, 24
File cabinet locking bars	5
Filler plates	22
Finishes	2
Gate latch	27
Gate pin, roll down door	18
Guard plate, cylinder	21, 26
Hasps	18
Herculite locks	20
Hinge, steel	25
Jimmy proof locks	6
Key tag, brass	19
Latch protectors	23, 25
Latch, replacement	19
Mortise locks	4, 20, 21
Panic device	7
Police lock	9, 24
Push & pull plates	25, 26
Rim latch, brass	20
Rosettes	19
Scar plates	22
Shim, rising, jimmy proof	21
Snap hook, swivel, brass	26
Spindles	28, 29, 30
Strikes	24, 27
Terms	2
Turn disc, mortise	25
Turns, mortise	19

A new Product, Source and Standard

63A Mortise Entrance Lockset

- ◆ Surface mounted escutcheon plates-Steel reinforced
- ◆ Screw on 2 1/4" Heavy Duty Brass Knobs
- ◆ Two piece 9/32" steel swivel spindle
- ◆ Interior trim assembly: 7" x 2 1/4"
- ◆ Exterior trim assembly: 10" x 2 3/4"
- ◆ Backset: 2 1/2"
- ◆ Front: Solid Brass 1 1/16" x 7 5/8"
- ◆ Strike: 4 7/8" x 1 1/4"
- ◆ Cylinder: Brass, SE1 keyway w/2 keys
- ◆ Polished Brass US3 or Satin Chrome US26D
- ◆ Packed 10 per carton - Half LH, Half RH unless requested otherwise



No. 63A

No. TE63A

TE63A Mortise Entrance Lockset

Same features as the #63A plus

- ◆ Thru-bolted knob/plate assemblies



No. TE2003/3

No. TE2022/3

No. A2800/3

No. A2022/3

No. A2003/3

Progressive Hardware

FILE CABINET LOCKING



Bars

*Powder Coated Steel
Silver Outer Cover
Bright Orange Inner Slide*

Lengths

FCL-1	1 Drawer	11"
FCL-2	2 Drawer	21.5"
FCL-3	3 Drawer	33.5"
FCL-4	4 Drawer	45"
FCL-5	5 Drawer	56"



This security bar locks every drawer. Just pull up slightly on the inner slide bar to simultaneously release all lock points. The spring-loaded hinge swings the bar clear, allowing all file drawers to open.

The inner slide bar interlocks with a locking lug at each drawer opening when in the locked position providing additional security.

MULTI-POINT LOCKING DESIGN

SPRING-OPEN ACTION

NO STORAGE ISSUES - SWINGS OUT OF THE WAY AND REMAINS ATTACHED TO THE CABINET


EASY INSTALLATION - OPENING OF FILE DRAWERS IS UNNECESSARY DURING INSTALLATION

EASILY REVERSIBLE FOR LEFT OR RIGHT SIDE OF CABINET

PACKED 6 PER CASE


Progressive Hardware

#1776 Jimmy-Proof Vertical Deadbolt




Hardened - Drill point screws

*"The Locksmith Ledger Lab found the Progressive #1776 to be superior to the original" ***



Angled Strike (Optional)
#1776AS



Solid brass cylinder, 5SE1 keyway, w/recessed cylinder collar

Item Number	Description	
#1776/10	Turn knob & key w/flat strike, satin bronze	5 per box 20 per case
#1776/26	Turn knob & key w/flat strike, polished chrome	
#1776/3	Turn knob & key w/ flat strike, polished brass	
#1786/10	Turn knob & key w/angle strike,satin bronze	
#1786/26	Turn knob & key w/angle strike, polished chrome	
#1786/3	Turn knob & key w/angle strike, polished brass	
#1776AS/10	Angled strike only, satin bronze	
#1776AS/26	Angled strike only, polished chrome	
#1776AS/3	Angled strike only, polished brass	


**Taken from: Locksmith Ledger International July 2003, Vol. 63, Number 7

- **Super Quality**
- **Great Price**
- **UL Listed**




Exit device for doors up to 48"

- Available in aluminum and Durododic painted finishes
- Dogging feature is standard
- Includes all mounting fasteners, strike and filler plates



All necessary mounting holes are already in the head

Retrofits almost every existing device



#560PCSL



#560BK/32



#560LH/26D

ITEM No.	Description
#560AL-3	Reversible device, exit only, doors to 36"
#560DU-3	Reversible device, exit only, doors to 36"
#560AL-4	Reversible device, exit only, doors to 48"
#560DU-4	Reversible device, exit only, doors to 48"
#560PC-AL	Pull with cylinder hole & sex bolts
#560P-AL	Plain pull, no cylinder hole with sex bolts
#560BK/32	Ball knob, standard duty
#560LH/26D	Lever handle, standard duty

Finish
Alum
Duro
Alum
Duro
Alum
Alum
Stainless
Satin chrome

Above locksets are available in the following functions:
FO1 - Passage
FO5 - Classroom
FO7 - Storeroom

Door Closers

K700 series Door closers

- **UL Listed**
- **Adjustable latching and closing speeds**
- **Full rack & pinion for 100% control**
- **Cast Aluminum body - Non-handed**
- **Surface mounted for regular, top jamb or parallel arm (with optional bracket)**
- **For use on trimline aluminum, wood or hollow metal doors**
- **24 hour salt spray tested**



#K700PA - Parallel arm bracket (Optional)

Item No.	Size	Description	Finish
#K720/AL	2	Light to medium duty for interior doors to 32" and exterior doors to 27"	Alum
#K730/AL	3	Medium duty for interior doors to 36" and exterior doors to 30"	Alum
#K730/DU	3		Duro
#K730BC/AL	3	With back-check	Alum
#K740/AL	4	Medium duty to heavy duty for interior doors to 48" and exterior	Alum
#K740/DU	4	doors to 36"	Duro
#K740BC/AL	4	Medium to heavy duty with back-check for interior doors to 48"	Alum
#K740BC/DU	4	and exterior doors to 36"	Duro
#K750/AL	5	Heavy duty for exterior doors over 36"	Alum
#K750/DU	5		Duro

Cylindrical Locksets

Grade 2 Cylindrical Locksets ANSI/BHMA Standard A156.2 Laboratory tested to 400,000 cycles




- **Certified ANSI-A156.2, series 4000 Grade 2**
- **Available in passage, privacy & entry**
- **SC-1 Keyway**
- **2-3/8" backset is standard, 2-3/4" is available on request**
- **Latch front is 2-1/4" x 1"**
- **Strike is 2-3/4" x 1-1/8"**
- **1/2" latch bolt projection**
- **Lock fits doors 1-3/8" to 1-3/4" thick**
- **Available in stainless steel on request**

Item No.	Description	Finish
#475/3	Passage lockset, 2-3/8" backset	US3
#476/3	Privacy lockset, 2-3/8" backset	US3
#476/3x32	Privacy lockset, 2-3/8" backset, split finish	US3/US32
#477/3	Entry lockset, 2-3/4" backset	US3
#477/3(B)	Entry lockset, 2-3/8" backset	US3




Progressive Hardware
DOUBLE BAR LOCK
No. DBL-01



Item Number	Fits doors
DBL-01-32	30" - 34"
DBL-01-36	34" - 38"
DBL-01-42	40" - 44"
DBL-01-48	46" - 50"
DBL-BRKT	Bracket for in-swing door (2 req'd)
DBL-TK	Replacement knob/gear assembly

For Added Security - #100/3
Heavy Duty Chain Door Guard

**SOLID BRASS
MOUNTING
PLATES**



**RIVETED STEEL
ROLLER CHAIN**

CLAM SHELL

DISPLAY PACKED

REPLACEMENT DOOR KNOBS



#2400 solid brass, 2-1/16" replacement knob set. Heavy duty ball shaped knob is an attractive dress up for any door. Supplied with case hardened double set screws and a 3-1/2" straight spindle. Packed one pair per box. Standard spindle thread is 20 TPI.

Available finishes are: US3, US4, US26D, US26

#2600 solid brass, 2-1/4" replacement knob set. Our most popular replacement knob. Supplied with case hardened double set screws and a 3-1/2" straight spindle. Packed one pair per box. Standard spindle thread is 20 TPI. Also available in 16 TPI, #2600S (Sargent) & 18 TPI, #2600L (Lockwood).

Available finishes are: US3, US4, US26D, US26



#3600 Heavy duty pinned knob set. This is the brute of our line. It replaces the Corbin #1419 with #32 spindle. Outside knob is pinned to spindle (choice of three positions) and inside knob is held by two 5/16" case hardened set screws. Spindle has one 3/8" center on outside half and inside spindle is threaded 3/8-20.

Available finishes are: US3, US4, US26D

#2600LP solid brass pinned knob set for Lockwood mortise locks. Standard duty 2-1/4" knob is factory pinned to swivel spindle for 1-3/4" door. Spindle has two 3/8" centers. Inside knob has two case hardened set screws and spindle is threaded 3/8-18.

Available finishes are: US3, US4, US26D



REPLACEMENT DOOR KNOBS



#2600P solid brass pinned knob set. Standard duty 2-1/4" knob, factory pinned to swivel spindle for 1-3/4" door. Outside spindle has stop pin. Spindle centers, 9/32" x 9/32". Inside spindle is threaded 3/8-20 with case hardened double set screws for knob. Packed one pair per box. 25 pair per case.

Available finishes are: US3, US4, US10, US26D

#2600RP solid brass pinned knob set for RUSSWIN mortise locks. Standard duty brass 2-1/4" knob is pinned to swivel spindle for 1-3/4" door. Outside spindle has 3/8" solid center and inside spindle is 9/32". Inside knob threaded 3/8-20 with two case hardened set screws. Packed one pair per box. 25 pair per case.

Available finishes are: US3, US4, US10, US26D



#2600LPXST solid brass pinned knob set, LOCKWOOD
#2600RPXST solid brass pinned knob set, RUSSWIN

Both of the above numbers include a 2-1/4" knob pinned to a straight spindle. The inside knob is attached with two case hardened set screws. The inside knob and spindle for LOCKWOOD is threaded 3/8"-18 and the RUSSWIN set is threaded 3/8"-20. One pair per box. 25 pair per case.

Available finishes are: US3, US4, US10, US26D

#2600AP solid brass pinned knob set, for Arrow TA
Outside knob is pinned to a swivel spindle, 9/32" x 9/32", Inside knob threaded 3/8-20 with two case hardened set screws. Knobs have solid brass inserts for longer life. Packed one pair per box. 25 pair per case.

Available finishes are: US3, US4, US10, US26D



#2600TG solid brass pinned knob set, for Arrow TG

Outside knob is pinned to a 5/16" swivel spindle, inside spindle is 9/32". Inside knob threaded 3/8-20 with two case hardened set screws. Knobs have solid brass inserts for longer life.

Packed one pair per box. 25 pair per case.

Available finishes are: US3, US4, US10, US26D

REPLACEMENT DOOR KNOBS



#M2600 solid brass knob set replaces Marks #92522. Solid brass knob insert will fit into nylon bushing of most Marks Hardware escutcheons. Both knobs are double set screw and are threaded for a 3/8-20 spindle. Includes four case hardened set screws. No spindle included. Packed one pair per box. 25 pair per case.

Available finishes are: US3, US4, US10, US26D

#K6220 thru-bolted knob/rose assembly with spring loaded spindles. Replaces Marks Hardware #K9220. Solid brass knobs preassembled to roses.

Packed one pair per box. 25 pair per case.

Available finishes: US3, US26D



#M2600P solid brass pinned knob set. Includes one pair of M2600 knobs pinned to a swivel spindle for 1-3/4" door. Outside spindle has stop pin and 9/32" centers. Inside knob is threaded 3/8"-20 and has two case hardened set screws. Replaces Marks #92522. Packed one pair per box. 25 pair per case.

Available finishes are: US3, US4, US10, US26D



#1/4-20 Slot - Standard set screws for #2600 & #2500 knobs



#5/16-24 Slot - Standard set screws for #3600 knobs



#1/4-20 Socket - Require socket wrenches for extra security



#10-24 - Special set screws for tapped hole spindles



#2003



#2000



#2001



#2002

#2000- Knob bearing & key slot, standard distance between holes is 2-1/4" center to center. Packed 12 pieces per box.

#2001 - Knob bearing only.
Packed 12 pieces per box

#2002 - Knob bearing & cylinder hole, standard distance between holes is 3-11/16" center to center. Packed 12 pieces per box

#2003 - Knob bearing & turn piece, standard distance between holes is 2-7/16" C to C. Packed 6 pieces per box

Available finishes are US3, US4, US10, US26D, US26
Cylinder hole and turn location can be repositioned as a special order.


Solid Brass Traditional Broad Bevel Plates ***10" x 2-3/4"***



#2022



#2023



#2024



#2025

#2021 - Knob bearing only
Packed 12 pieces per box

#2022 - Knob bearing & cylinder hole, standard distance between holes is 3-11/16" center to center. Packed 12 pieces per box

#2023 - Knob bearing & turn piece, standard distance between holes is 2-7/16" center to center. Packed 6 pieces per box

#2024 - Push plate with mounting holes only
Packed 12 pieces per box

#2025 - Cylinder hole only
Packed 12 pieces per box

Available finishes are: US3, US4, US10, US26D, US26

Cylinder hole and turn piece can be repositioned as a special order



#2021

**Solid Brass Replacement Escutcheons
for Russwin/Corbin
9" x 2-1/2"**



#3002

#3001 - 9" x 2-1/2", knob bearing only
Packed 12 pieces per box

#3002 - 9" x 2-1/2", knob bearing & cylinder hole. Distance between holes is 3-5/8" center to center.
Packed 12 pieces per box

#3003 - 9" x 2-1/2", knob bearing & turn piece. Distance between holes is 2-7/16" center to center.
Packed 6 pieces per box

Available finishes are: US3, US4, US10, US26D, US26

Cylinder hole and turn hole location can be repositioned as a special order



#3003



#3001

**Solid Brass Replacement Escutcheons
The Marlborough
7-1/2" x 2-1/4"**



#4001

#4001 - 7-1/2" x 2-1/4", knob bearing only
Packed 12 per box.

#4002 - 7-1/2" x 2-1/4", knob bearing & cylinder hole
Distance between holes is 3-11/16" center to center
Packed 12 pieces per box

#4003 - 7-1/2" x 2-1/4", knob bearing & turn piece
Distance between holes is 2-7/16" center to center
Packed 6 pieces per box.

Available finishes are: US3, US4, US10, US26D, US26

Cylinder hole and turn hole location can be repositioned as a special order



#4002



#4003

**Solid Brass Replacement Escutcheons
for Marks Hardware
with nylon knob inserts**



M2022

#M2001 - 7" x 2-1/4", knob bearing only, replaces Marks #A-9261 Packed 12 pieces per box

#M2003 - 7" x 2-1/4", knob bearing & turn piece, replaces Marks #A-9262. Packed 6 pieces per box

#M2021 - 10" x 2-3/4", knob bearing only, replaces Marks part #-9280. Packed 12 pieces per box

#M2022 - 10" x 2-3/4", knob bearing & cylinder hole. Replaces Marks #A-9281. Packed 12 pieces per box

#M2023 - 10" x 2-3/4", knob bearing & turn piece. Replaces Marks #A-9282. Packed 6 pieces per box.

#M2024 - 10" x 2-3/4", push plate, replaces Marks part #A-9283 Packed 12 pieces per box

Available finishes are: US3, US26D



M2021



M2023



M2001



M2003

**Solid Brass Replacement Escutcheon
for Corbin/Russwin
N Escutcheons 7" x 2-1/4"**



#CR4001



#CR4002



#CR4003



#CR4004



#CR4005



#CR4006

This heavy duty rolled edge escutcheon is an economical replacement for the Corbin/Russwin "N Escutcheon".

#CR4001 - Knob hole only
Packed 12 pieces per box.

#CR4003 - Knob bearing & turn piece
Distance between holes is 2-7/16" center to center. Packed 6 pieces per box.

#CR4005 - Cylinder hole only
Packed 12 pieces per box.

#CR4002 - Knob hole & Cylinder hole
Distance between holes is 3-5/8" center to center. Packed 12 pieces per box.

CR4004 - Inside blank plate
Packed 12 pieces per box.

#CR4006 - Inside plate with turn piece only
Packed 6 pieces per box.

Available finishes: US3, US4, US10, US26D

Solid Brass Replacement Escutcheons

Another first from *PROGRESSIVE HARDWARE CO.* Reproductions of classic turn-of-the-century trim, faithfully manufactured from wrought brass at a fraction of the price of castings. The Gotham and Chelsea plates are a beautiful copy of early 1900's escutcheons. Their exciting details will thrill any traditionalist. These plates are manufactured of 1/32" wrought brass and the knob bearing has a steel re-enforcement on the rear of the plate.



#5000

The Gotham 7-1/2" x 2-1/2"

#5000 - Knob bearing & key slot. Distance between knob and key hole is 2-1/4" center to center. Packed 12 pieces per box.

#5001 - Knob bearing only
Packed 12 pieces per carton

#5003 - Knob bearing & turn piece. Distance between knob bearing and turn piece is 2-7/16" center to center. Packed 6 pieces per box.

Available finishes are: US3, US26

Consult with factory for set-up charge for non-standard spacings.



#5001



#5003



#6001



#6003



#6004



#6002

The Chelsea 10" x 2-3/4"

#6000 - Knob bearing & key slot. Distance between knob and key hole is 2-1/4" center to center. Packed 12 pieces per box.

#6001 - Knob bearing only
Packed 12 pieces per box.

#6002 - Knob bearing & cylinder hole. Distance between knob and cylinder hole is 3-11/16" center to center. Packed 12 pieces per box

#6003 - Knob bearing & turn piece. Distance between knob and turn piece is 2-7/16" center to center. Packed 6 pieces per box.

#6004 - Push plate, mounting holes only
Packed 12 pieces per box.

Available finishes are: US3, US26

Consult with factory for set-up charge for non-standard spacings.



#6000

Convex door bumpers

Item Number	Description	Finish
#4432/3	Solid brass convex door bumper. Poly bagged with anchor and screw. Packed 10 pieces per box	Polished brass
#4432/26D		Satin chrome



Concave door bumpers

Item Number	Description	Finish
#4442/3	Solid brass concave door bumper. Poly bagged with anchor and screw. Packed 10 pieces per box	Polished brass
#4442/26D		Satin chrome



High dome door stop

Item Number	Description	Finish
#4452/3	Solid brass high dome door stop requires 1/2" clearance. Poly bagged w/anchor & screw. 10 pcs per box.	Polished brass
#4452/26D		Satin chrome



Low dome door stop

Item Number	Description	Finish
#4462/3	Solid brass low dome door stop. Requires 1/8" clearance. Poly bagged w/ anchor & screw. 10 pcs per box	Polished brass
#4462/26D		Satin chrome



Flush lever extension bolt

Item Number	Description	Finish
#4472/28	15/16" x 5-5/8" long with round corners. Individually boxed Packed 10 pieces per box	Satin Aluminum
#4472/DU		Duronodic



Step down door holder

Item Number	Description	Finish
#4482BP	5-1/8" high pressure zamac casting Poly bagged with screws Packed 10 pieces per box	Brass plated
#4482/26D		Satin chrome



Flip down door holder

Item Number	Description	Finish
#4492BP	4" high pressure zamac casting Poly bagged with screws Packed 10 pieces per box	Brass plated
#4492/26D		Satin chrome
#4492/DU		Duronodic



Door stop

Item Number	Description	Finish
#65/3	Alum die casting. Wall mount . 3-3/4" long bumper with rubber tip. 10 pieces per box	Brass plated
#65/26D		Satin chrome



#121- Door Interviewer with knocker



#121-K

A low cost interviewer and knocker that will provide security with functionality. 3-1/2" x 4-1/2" exterior plate is a high pressure zamac casting with an attractive polished brass finish. The glass lens provide a minimum of 160 degrees of unobstructed view of the area outside the door.

Two slots are available for insertion of an apartment number and tenant name. The interior side of the viewer has a security cover that remains closed unless manually opened. The exterior plate can not be turned by vandals if properly installed.

Packed 1 per box. 50 per case.

#200 - round adapter plate, 4-1/2" OD x 1-3/4" ID also available

High polished extruded solid brass door and jamb plates. Door plate measures 1-3/8" x 3-3/8" and jamb plate is 1-3/8" x 1-5/8". Brass plated chain is case hardened steel, welded link chain. Supplied with 1/2" x #7 brass plated sheet metal screws.

Packed 20 per box - 200 per case

#410 Chain door fastner




Heavy Duty Hasps



#1825

Zinc plated straight bar hasp
7-3/8" x 1-3/4"
Poly bagged with screws
15 pieces per box

Zinc plated angle hasp
4-5/8" x 3"
Poly bagged with screws
20 pcs per box



#1850


Flexible Hasp



#241

Zinc plated flexible hasp
6-1/4" long, 2 link style
Poly bagged with screws
10 pieces per box

Roll down gate locking pin
Wrought iron pin with welded head
1/2" round locking pin
4-3/4" over-all length



Roll down gate pin

#1875

Replacement Door Parts



Solid brass replacement door knob roses

Packaged one pair with screws in clamshell.

#205 - 2" solid brass **#206** - 2-1/4" solid brass

#207 - 2-1/2" solid brass **#208** - 3" solid brass

Available finishes: US3, US4, US10, US26D, US26
and available in steel, US18A

Packed 12 pair per carton



#76



#75

#75 solid brass oval plate with bit key hole

1-3/4" x 1-1/8" oval escutcheon

Packaged two plates with screws per poly bag

Available finishes: US3, US26D, US26

Packaged 6 pair per box

#76 solid brass oval plate with thumb turn

1-3/4" x 1-1/8" oval escutcheon. Turn has 3/16" square

tail. Packed one with screws per poly bag.

Available finishes: US3, US26D, US26

Packed 12 per box

#76FT - Same as above but with flat tail on turn.



#77

#77 solid brass round plate with thumb turn

2-1/4" round escutcheon. Turn has 3/16" square tail.

Packed one with screws per poly bag. 12 per box.

Available finishes: US3, US26D

#77FT - Same as above but with flat tail on turn.



#78

#78 solid brass raised escutcheon with thumb turn.

1-3/16" round x 3/16" high escutcheon. Turn has 3/16"

square tail. Packed one with screws per poly bag.

Available finishes: US3, US26D. 12 per box.

#78FT - Same as above but with flat tail on turn



#70

#70 replacement turn & clip

For DIY turn installations. 12 per box.

Available finishes: Brass plated(BP), US26D, US26



#87

#87 tubular passage latch

2-3/8" backset plain passage latch.

Accepts standard 9/32" square spindle. 12 per box.

#88 - Same as above but 2-3/4" backset

#89 - Same as above but 2-1/2" backset



Solid brass key tags

#05-L 15/16" x .040" Approximately 115 pieces per lb

#06-T 1" x .025" Approximately 149 pieces per lb

#07 1-1/4" x .040" Approximately 60 pieces per lb

#011 1-3/8" x .060" Approximately 38 pieces per lb


Packed 1 pound per box

25 pounds per carton

Mortise Locks

Glass Door Locks

For bottom mounting herculite type doors. Solid brass construction. Each lock is available with either round or rectangular bolt



#IT-20SQ

#IT-20SQ & #IT-20RD

- *1-7/8" height
- *Accepts standard mortise cylinder.
- *Bolt throw 3/4"
- *Front: 1-5/16" x 4-1/8"
- *Backset: 15/16"

#IT-20RD

#4255SQ & #4255RD

- *Equal to Russwin S4255
- *Supplied with mounting brackets
- *Front: 1-3/8" x 5-1/8"
- *Height: 2"
- *Backset: 1"
- *Accepts standard mortise cylinder
- *Bolt throw: 9/16"



#4255SQ

#4255RD

Replacements for Lockwood mortise locks




#1084

#1084 mortise knob latch

- *Brass front, cast iron case
- *Front: 4-1/2" x 1-1/8"
- *Beveled front is reversible
- *Hub accepts standard 9/32" spindle
- *Latch bolt by knob from either side
- *2-3/4" backset

#214 Surface Mounted Rim Latch

- All brass lock and strike
- Latch can be retracted by turn or key
- Solid brass cylinder, w/ 2 keys
- Cylinder ring and back-plate



#2379-1/2 lever/rose set

- *Set includes two each solid brass levers & roses
- *Lever accepts 3/8" square straight or swivel spindle
- *Satin brass and lacquered finish
- *Includes spindle set screws (2)

Mortise Locks

#1010 Universal Mortise Latch (formally made by AFCO/OMEGA)

- *Latch is reversible for left or right handed doors
- *Will fit most existing installations by simply cutting the over-size faceplate
- *Solid brass latch and spindle hub
- *Cast iron case
- *Over-size front is 1" x 6" with four mounting holes
- *Includes multi-holed 6" security strike (#9640BP)



#1010

Replacement for #2214 Lockwood Cylinder Dead Lock



#2214


- *Solid brass front (4-1/8" x 1-1/16") and deadbolt
- *Cast iron case
- *2-3/4" backset
- *Uses standard mortise cylinder

#R1000 - Drop bolt lock for revolving doors & other applications

- *Case is 5-7/8" x 1-3/4" x 1" ingot aluminum
- *Stainless steel bolt is 5/8" round
- *Bolt protrudes 1-9/16"
- *Turn key 90 degrees and bolt drops
- *Cylinder w/2 keys included
- *Available in Polished Brass, Duronodic, & satin aluminum



#R1000




#103BP

#103BP Rim Lock Cylinder Guard (formally made by AFCO/OMEGA)

- *5-7/8" x 3" x .090 wrought steel
- *Brass Plated
- *3/16" center rise for cylinder
- *13/16" diameter key hole
- *Includes bolts, nuts, washers

#12 Mounting bracket (formally made by AFCO/OMEGA)



#12

- *Mounting brackets for mounting mortise locks and electric strikes in hollow metal doors
- *Steel, zinc plated
- *Includes all necessary screws
- *12 pair per package with screws

#67 Rising Shim (formally made by AFCO/OMEGA)

- *for shimming strike used with Jimmy proof drop bolt locks
- *1" x 4-1/8" x 16 gauge
- *Steel, zinc plated
- *Packed 10 pcs per poly bag
100 pcs per box
1000 pcs per case



#67

Filler plates & Scar plates



#178PC

#161PC - 2-5/8" O.D. hole filler plate
Covers 1/4" to 2-1/2" holes
Prime coat steel
One per poly bag - 12 per box



#161PC



#200BP

#178PC - 1-7/8" O.D. hole filler plate
Prime coat steel
Covers 1/4" to 1-1/2" holes
One per poly bag - 12 per bag

#200 oversize scar plate
4-1/2" outside diameter with 1-3/4" hole
Packed one per poly bag. 12 per box.
Available in steel, brass plated

#198 and #199
Solid Brass or stainless steel scar plates
3-1/16" Outside diameter with 1-1/4" hole.
Packed one per poly bag
12 per box
Available finishes: US3 or US32



#198/3



#199/32



#195BP

#195 dummy cylinder
Die cast face with steel back plate
Covers standard cylinder hole
One per poly bag
12 per box
Available finishes: Brass or chrome plated

#74 frame filler plate for A.S.A. cut-out
4-7/8" x 1-1/4"
Prime coat steel
Packed one per poly bag - 12 per box



#74FP

#72FP frame filler plate
2-3/4" x 1-1/8"
Prime ccoat steel
Packed one per poly bag - 12 per box




#72FP

#73FP door filler plate
2-1/4" x 1-1/8"
Prime coat steel
Packed one per poly bag - 12 per box



#73FP

#86FP door filler plate
8" x 1-1/4" x 3/16"
Prime coat steel
Packed one per poly bag - 12 per box



#86FP

Latch protectors for out-swinging doors



#1033SL



#1077SL

#1033 - 3" x 11" latch guard

Massive wrought steel or solid brass, fits key-in-knob or mortise locks. Complete with carriage bolts, acorn nuts and washers. Individually poly bagged with hanging header. Packed 12 per box.

Available finishes: Silver or duro bake coat on steel, brass plated steel or solid brass.

#1077 - 2 5/8" x 12" offset latch guard

Heavy 1/8" steel. 1/4" offset, 1 1/8" backset, 1 7/16" cylinder hole. Protects both latch or bolt. Reversible. Supplied with carriage bolts, acorn nuts and washers. Packed 12 per box.

Available finishes: Silver or duro bake coat



#1077WO



#1088

#1077WO - 2 5/8" x 12" offset latch guard.

This plate is the same as the #1077 above but without the cylinder hole. Packed 12 per box.

Available finishes: Silver or duro bake coat.

#1088 - 2 5/8" x 7" offset latch guard

Heavy 1/8" steel. 1/4" offset, 1 1/8" backset, 1 7/16" cylinder hole. Protects latch or bolt. Reversible. Supplied with carriage bolts, acorn nuts and washers. Packed 12 per box

Available finishes: Silver or duro bake coat



#1088WO



#1099

#1088WO - 2 5/8" x 7" latch guard

This plate is the same as the #1088 above but without the cylinder hole. Packed 12 per box.

Available finishes: Silver or duro bake coat

#1099 - 2 5/8" x 7" offset latch guard

1/8" thick steel plate with cutout for up to 3 1/2" rose. 1/4" offset. For deadbolt or key-in-knob latchsets. Packed 12 per box.

Available finishes: Silver or duro bake coat.

Replacement strikes



#71

#71 - Mortise A.S.A strike

4-7/8" x 1-1/4"

Steel, brass plated or solid brass, US3, US4, 26D
One per poly bag. 12 pieces per box with screws



#74

#74 - Standard A.S.A strike

4-7/8" x 1-1/4"

Steel brass plated or solid brass, US3, US4, or US26D
One per poly bag. 12 pieces per box with screws



#38

#38 - Plain mortise strike, no lip

4-7/8" x 1-1/8"

Steel, brass plated
One per poly bag. 12 pieces per box

#72 - 2-3/4" x 1-1/8" T-strike

Solid brass, US3 or stainless steel, US32
One per poly bag. 12 pieces per box with screws



#72



#73

#73 - 2-1/4" full lip strike

Steel, brass plated
One per poly bag. 12 pieces per box

Specialty trim

#2031 - Classic 2-1/4" square bevel plate is made of solid brass with wrought brass knob ferrule that is .125" deep x .650" I.D. With steel back re-enforcement.

#2032 - This 2-1/4" square bevel plate has a 1-1/4" cylinder hole.

#2031LF - The same classic plate as above but the knob ferrule is made of turned bar brass and is .300" deep and .750" I.D.

#2040 - Turn of the century reproduction key hole trim plate. 1-1/8" x 2". Sharp details with a bit key hole.

Available finishes are: US3, US26D, US26

All of the above items are supplied with oval head, slotted wood screws. 12 pieces per box



#2031



#2032



#2031LF



#2040



#160FPL

#160FPL Fox Police Lock Cylinder

Solid brass bar stock cylinder with round tail

Russwin 1011 keyway

Two nickel silver keys

Includes cylinder ring and connecting screws

Satin brass finish

Latch protector for in-swinging doors

Angle bar mounts on door with carriage bolts
1/8" wrought steel!

Angle bar is available:

- No cut-out
- Knob cut-out
- Mortise cut-out
- Medeco cut-out

Available in 3 lengths:
13", 30" and 90"



The
Door Guardian
for in-swinging doors

Super heavy gauge steel members interlock door and frame preventing:

- Spreading of frame
- Insertion of pry bars
- Shimming of latch

"J" channel mounts on frame with self drilling screws

Available finishes: Gold(GP), black(BLK) or silver(SL) paint

- #DG13KB 13" w/ knob cut-out
- #DG13MORT 13" w/mortise cut-out
- #DG13MED 13" w/Medeco cut-out
- #DG13UN 13" w/no cut-out
- #DG30KB 30" w/ knob cut-out

- #DG30MORT 30" w/mortise cut-out
- #DG30MED 30" w/Medeco cut-out
- #DG30UN 30" w/no cut-out
- #DG90UN 90" w/no cut-out

13" Door guardian cut-outs are centered
30" Door Guardian cut-outs must be ordered as "Left hand", "Right hand" or "Centered"
All 90" Door Guardians are with no cut-out

**Mortise lock
turn knob
disc**



#2651TK/W
Regular bar style



#2651TK/N
Narrow bar style

Steel Door Hinge



#1326

Length: 4"; Width 4", Heavy-duty hinge features five knuckles and eight mounting holes. Applicable for use on wood and hollow core metal doors. Full mortise hinge is made of primer-coated wrought steel. This hinge has a plain bearing. Includes removable, steel, primer-coated pins with oval heads and button tips. Packed as pairs. 10 pr. per box. 20 pr. per carton

**#304
Aluminum Pull with Plate**



Mounting plate is 8-3/8" x 1-3/4" with countersunk holes

Pull handle is 3/8" x 1-1/4" wide on 6" centers

Pull has 10-24 holes on back for thru-bolting if desired



#1328

Length: 3"; Width: 3", Light-duty hinge features five knuckles and six mounting holes. Applicable for use on wood and hollow core metal doors. Full mortise hinge is made of primer-coated wrought steel. This hinge has a plain bearing. Includes removable, steel, primer-coated pins with oval heads and button tips. Packed as pairs. 10 pr. per box. 40 pr. per carton

Push & Pull Plates



#1012/32

#1001/32

#1001 - 3-1/2" x 15" push plate. Full 16 gauge metal. Individually poly bagged. Packed 4 per box.

#1012 - 3-1/2" x 15" push plate with solid brass or aluminum pull with 4-7/8" c to c distance. Packed with mounting screws and handle thru bolts. Individually poly bagged. Packed 2 per box.

Available materials: US32 - Stainless steel
 US 3 - Solid brass
 US 28 - Satin Aluminum

Mortise lock cylinder guards



#1045BP

#1044 - Mortise cylinder guard plate. 10" x 4" plate can either replace or go over existing trim. Will cover up to 8" escutcheon. 1/4" high cylinder bubble. Supplied with 4 each: carriage bolts, cap nuts & washer. Extra heavy gauge wrought steel.

#1045 - Same as #1044 above but with 1/2" high cylinder bubble.

#1204 - 12" x 4" mortise cylinder guard can cover up to a 10" escutcheon. Supplied with 4 each: carriage bolt, cap nut & washers. Heavy duty wrought steel.

#1204NYC - Same as #1204 above supplied with carriage bolts and sex bolts for use with certain NYCHA projects.



#1204BP

Available finishes are brass(BP) or chrome(CP) plated



#1066BP

#1066 - Adjustable mortise cylinder guard. 3" x 11" cylinder guard replaces existing trim. Adjustable rose allows this plate to fit virtually any mortise lock. Raised bubble covers mortise cylinder and prevents wrenching of cylinder. Supplied with four carriage bolts and sex bolts. Heavy wrought steel.

Available finishes are:
 Brass plated (BP)
 Chrome plated (CP)

#7006/3 Swivel snap hook

Solid brass

4 per Poly Bag

3-1/2" overall length

3/8" snap opening

3/4" swivel-eye

240 pieces per case



Security Strikes

Heavy gauge steel strike re-enforces door frames.
Individually poly bagged with 1-1/2" screws
24 per box

#9620 - 10" x 1-1/4"

#9630 - 5-7/8" x 1-1/8"

#9640 - 5-7/8" x 1-1/8"
with curved lip

Available brass plated only.



#9620



#9630



#9640

18" and 24" Ball bearing tee hinge



#1967-18 18" long
#1967-24 24" long

Heavy duty T hinge with two ball bearings and brass pin.
Zinc plated.

Replaces Hagar #1967

All mounting screws included

Heavy Duty Door Safety Chain



**3 lbs
wrought
steel !!!**

*Galvanized steel butt welded chain. Para-rubber covering

*Galvanized extension spring, approximately 8" long

*3" x 3" galvanized staple plate for fastening to door with thru bolts included.

* 1-3/4" x 2-1/2" galvanized staple plate for fastening to door frame with machine screws included.
10 per box

* Item nos. **RDC-30** - 28" long
RDC-36 - 36" long

Ornamental Heavy Duty thumb latch



*Wrought steel thumb latch set for gates and doors requiring a latched engagement.

*For doors 1-1/2" to 2-1/4" thick.

*Steel escutcheons are 15" x 2-3/4" x 1/8"

*Latching bar is 12" long and 1/8" thick

*Fasteners included

#07-9096P Flat black finish























#07-9095P Zinc plated

1 per box - 8 per case

Replacement steel spindles - 20 TPI







Corbin/Russwin, Yale, Marks, Norwalk, National

Packed 48 pices per box

#44-20-3-1/2 #44-20-4 #44-20-5 #44-20-6		Straight spindle, 9/32" square, 20 TPI, 3-1/2" long Straight spindle, 9/32" square, 20 TPI, 4" long Straight spindle, 9/32" square, 20 TPI, 5" long Straight spindle, 9/32" square, 20 TPI, 6" long
#45-20-R		Swivel, 9/32" square x 4-3/4" long, 20 TPI Two removable centers
#45-20-S		Swivel, 9/32" square x 4-3/4" long, 20 TPI Two 3/8" solid centers
#45-20-P		Swivel, 9/32" square x 4-3/4" long, 20 TPI With stop pin
#45-20		Swivel, 9/32" square x 4-3/4" long, 20 TPI
#45-20-SPH		Swivel, 9/32" square x 4-3/4" long, 20 TPI Two 3/8" solid centers & 3 pin holes on side
#45-20-1/2SPH		Swivel, 9/32" square x 4-3/4" long, 20 TPI One 3/8" solid center & 3 pin holes one side
#45-20-RPH		Swivel, 9/32" square x 4-3/4" long, 20 TPI Two removable centers & 3 pin holes one side
#45-20-C		Swivel, 9/32" square x 4-3/4" long, 20 TPI One 3/8" solid center
#45-20-1174		Swivel, 9/32" square x 5-3/8" long, 20 TPI Threaded side 3" long, pin hole side is 2-3/8"
#45-20-32		Swivel, 9/32" square x 4-3/4" long, 20 TPI One 3/8" solid center & 3 pin holes one side
#44-20-4PH		Straight, 9/32" square x 4-1/2" long, 20 TPI Threaded one side, three pin holes other side
#45-20-N		Swivel, 9/32" square x 4-3/4" long, 20 TPI With stop notches one side
#45-20-P6		Swivel, 9/32" square x 6" long, 20 TPI With stop pin
#45-20-N6		Swivel, 9/32" square x 6" long, 20 TPI With stop notches one side
#45-20-P3		Swivel, 9/32" square x 3 1/2" long, 20 TPI With stop pin
Steel spindles with 10-24 tapped holes - 20 TPI <i>Packed 48 pieces per box</i>		
#44-20-4TP #44-20-5TP #44-20-6TP		Straight spindle, 9/32" square, 4" long, 20 TPI Straight spindle, 9/32" square, 5" long, 20 TPI Straight spindle, 9/32" square, 6" long, 20 TPI
#44-4TP #44-5TP #44-6TP		Straight spindle, 9/32" square, 4" long, no thread Straight spindle, 9/32" square, 5" long, no thread Straight spindle, 9/32" square, 6" long, no thread
#45-20-RTP		Swivel, 9/32" square x 4-3/4" long With two removable centers
#45-20-RTP6		Swivel, 9/32" square x 6" long With two removable centers
#45-20-STP		Swivel, 9/32" square x 4-3/4" long With two 3/8" solid centers
#45-20-NTP		Swivel, 9/32" square x 4-3/4" long With stop notch








Replacement steel spindles - 18 TPI - Lockwood

Packed 48 pieces per box

#44-18-4 #44-18-4-1/2 #44-18-5		Straight spindle, 9/32" square, 18 TPI, 4" long Straight spindle, 9/32" square, 18 TPI, 4-1/2" long Straight spindle, 9/32" square, 18 TPI, 5" long
#45-18-S		Swivel spindle, 9/32" square, 18 TPI, 4-3/4" long With two 3/8" solid centers
#45-18-SPH		Swivel spindle, 9/32" square, 18 TPI, 4-3/4" long With two 3/8" solid centers & three pinning holes
#45-18-R		Swivel spindle, 9/32" square, 18 TPI, 4-3/4" long With two removable centers
#45-18-RTP		Swivel spindle, 9/32" square, 18 TPI, 4-3/4" long Removable centers & 10-24 tapped holes
#45-18-N6		Swivel spindle, 9/32" square, 18 TPI, 6" long With stop notches

Replacement steel spindles - 16 TPI - Sargent

Packed 48 pieces per box

#44-16-4 #44-16-5 #44-16-6		Straight spindle, 9/32" square, 16 TPI, 4" long Straight spindle, 9/32" square, 16 TPI, 5" long Straight spindle, 9/32" square, 16 TPI, 6" long
#45-16-P		Swivel, 9/32" square, 16 TPI, 4-3/4" long With stop pin
#45-16-S		Swivel, 9/32" square, 16 TPI, 4-3/4" long With two 3/8" solid centers
#45-16		Swivel, 9/32" square, 16 TPI, 4-3/4" long
#45-16-PH		Swivel, 9/32" square, 16 TPI, 4-3/4" long With three pinning holes one side
#45-16-SPH		Swivel, 9/32" square, 16 TPI, 4-3/4" long Two 3/8" solid centers & 3 pinning holes one side
#45-16-N6		Swivel, 9/32" square, 16 TPI, 6" long With stop notches one side

Spindle assortment kits

Packed in a sturdy re-fillable polypropylene box

**Kit contains 6 each of the six most popular spindles
for a total of 36 pieces!**

20 spindle kit

for all 20 TPI knobs (Corbin/Russwin, Marks, Arrow, Yale, Norwalk, etc.)

contains

- 6 each - #45-20-S
- 6 each - #45-20-P
- 6 each - #44-20-4
- 6 each - #44-20-4TP
- 6 each - #46-20-2 5/8
- 6 each - #45-20-RTP

1618 spindle kit

for all 16 TPI (Sargent) and 18 TPI (Lockwood) knobs.

contains

- 6 each - #44-16-5
- 6 each - #45-16-S
- 6 each - #46-16
- 6 each - #44-18-4 1/2
- 6 each - #45-18-S
- 6 each - #46-18







Replacement removable spindle centers








#REM - Removable caps for 9/32" spindles.
Packed 100 per bag.

Sectional spindles

#46-20-2 5/8		2 piece sectional, 9/32" square x 2-5/8" long 20 TPI
#46-20-3 1/2		2 piece sectional, 9/32" square x 3-1/2" long 20 TPI
#46-16-2 5/8		2 piece sectional, 9/32" square x 2-5/8" long 16 TPI for Sargent knobs
#46-18-2 5/8		2 piece sectional, 9/32" square x 2-5/8" long 18 TPI for Lockwood

Lever spindles Packed 12 per box

#45KL		Knob x lever, threaded spindle is 9/32" square, threaded 3/8-20. Unthreaded side is 5/16" square. Replaces Arrow #16-385A. Replaces Arrow #007 if ordered with pin hole. 4-3/4" long
#45L		Lever x lever. Plain 5/16" square swivel spindle. No thread either side. No pin holes.
#45LK		Lever x knob, 5/16" square unthreaded spindle, one side with pin hole. Other side threaded 7/16-20. 4-3/4" long
#45KL-16		Knob x lever, unthreaded spindle is 5/16" square. Threaded side is 9/32" square, threaded 3/8-16. 4-3/4" long
#AW45		#AW45-1 3/4" equals Arrow # 17-386-1 3/4" #AW45-2 1/4" equals Arrow #17-386- 2 1/4"

Heavy Duty Spindles - 3/8" square x 5" long Packed 12 per box

#44HD		Unthreaded straight spindle, 3/8" square x 5" long
#44HD-TP		Unthreaded straight spindle, 3/8" square x 5" long With three 10-24 tapped holes each end
#44HD-20		Straight spindle, threaded 1/2-20, 3/8" square 5" long
#44HD-20-TP		Straight spindle, threaded 1/2-20, 3/8" square, 5" long. With tapped holes 10-24 each end.
#45HD		Swivel spindle, unthreaded, 3/8" square 5" long
#45HD-TP		Swivel spindle, unthreaded, 3/8" square 5" long. Tapped holes 10-24 each end.
#45HD-20		Swivel spindle, threaded 1/2-20, 3/8" square 5" long
#45HD-20-TP		Swivel spindle, threaded 1/2-20, 3/8" square 5" long with tapped holes 10-24 each end.
#45HD-16		Swivel spindle, threaded 1/2-16 for SARGENT 3/8" square, 5" long



#33 closet turn
with 3-1/2" spindle, threaded
3/8-20.
Packed 12 per box




Dummy spindles, 1-7/16" diameter disc
#112-1 1" spindle
#112-1.5 1-1/2" spindle
Packed 12 per box w/screws



This solid brass knob set is tapped 1/2-20 TPI for use with the above heavy duty spindles. Knobs have a solid brass insert for maximum strength and come with double set screws. Packed one pair per box.

#2638/3

Standard escutcheon dimensions



All escutcheons will be shipped as per the above dimensions unless special ordered.

Notes